



Flooring Inspirations

kronoswiss[®]

THE ORIGINAL SWISS FLOOR



Unique variety of choice



...for every taste

Contents

Structures and Textures		Page	4
Swiss-Solid Pro	HDF AC 5 / KL. 33	Page	6
Swiss-Solid	HDF AC 5 / KL. 33	Page	10
Giant	HDF AC 5 / KL. 33	Page	14
Swiss-Plank Natural	HDF AC 4 / KL. 32	Page	18
Swiss-Plank Elite	HDF AC 4 / KL. 32	Page	24
Swiss-Noblesse	HDF AC 4 / KL. 32	Page	28
Swiss-Scrape	HDF AC 3 / KL. 31	Page	38
Mega	HDF AC 4 / KL. 32	Page	42
Swiss-Prestige	HDF AC 3 / KL. 31	Page	46
Overview		Page	52
Technical Data		Page	54
Packaging Units		Page	56
Certificates		Page	58

RU – Rustic – The authentic look and feel of real wood

HS – Handscraped – A hand finished touch, full of character

Structures

WG – Woodgrain – The classic wood grain effect

PR – Pore – The sensitive wood texture finish



...and Textures

Various structures provide a perfect and authentic finish for each kind of decor. Textures like the traditional wood structure, surfaces with a strong character such as the unusual handscraped-look or the innovative, new rustic RU surface finish round off every decor in a harmonious way.



Swiss-Solid *Pro*



Anti-Static


D 2560



...strong in business

Superbly suitable for commercial applications: The unique rustic surface provides a magnificent, authentic ambience while the anti-static function counteracts perceptible electrostatic discharges. The heavy load rating and the laminate thickness of 12 mm can stand up with integrity to the constant strain of daily routine.

30 YEARS RESIDENTIAL WARRANTY



AC 5/KI. 33

Swiss-Solid Pro

D 2527 RU
Historic Pine



Standard: Optional:

D 2560 RU
Oak Milano



Standard: Optional:

D 2570 RU
Oak Antique



Standard: Optional:

D 2561 RU
Oak Roma



Standard: Optional:

D 2347 RU
Cherry Bogota



Standard: Optional:

D 8481 RU
Hickory Huntsville



Standard: Optional:

D 2562 RU
Noce Rubio



Standard: Optional:





Swiss-Solid

10

D 2563



...simply solid

11

The centre of a room concept: The product, Swiss-Solid, presents itself as a harmonious classic which is available in many creative decors. The heavy load rating and the laminate thickness of 12 mm are especially suitable for commercial applications – a solid and attractive companion for daily use.

30 YEARS RESIDENTIAL WARRANTY  AC5/KI.33

◀ ▶ 1380 mm ⬆️ ⬇️ ⬆️ 193 mm ⬇️ 12 mm      OFFICE  ***** HOTEL  SHOP

Swiss-Solid

D 2307 PR
Boathouse Pine



D 869 PR
Wild Oak



D 2413 PR
Wild Limed Oak



D 1400 PR
Canyon Beech



D 467 PR
Amarone Oak



D 1321 PR
Cherry 2-Strip



D 2547 PR
Columbus Oak



D 2748 PR
Dartford Oak



D 2565

D 2563 RU
Oak Arezzo



D 2565 RU
Oak Provence





Giant



...new dimension

A great performance by the all-round specialist: Thanks to the long panels the product, Giant, can be installed quickly and precisely. The heavy load rating and the laminate thickness of 12 mm mean it is ready to take on almost anything – the sky is the limit. Select this product in many lively decors.

30 YEARS RESIDENTIAL WARRANTY  AC5/KI.33

Giant

D 2938 ER
Ice Oak



Standard: 



D 2933 ER
Champagne Oak



Standard: 



D 2413 ER
Wild Lined Oak



Standard: 



D 2773 ER
Stable Oak



Standard: 



D 2443 MO
Oxford Teak



Standard: 



D 2235 ER
Bamwell Oak



Standard: 



D 2318 MO
Hacienda Oak



Standard: 



D 2462 ER
Barrique Oak



Standard: 



D 2318

D 2412 WG
Wenge Madagascar



Standard: 



D 2316 MO
Provence Pine



Standard: 





Swiss-Plank *Natural*

18



D 2332




...naturally unbeatable

19

In love with class and beauty: With its unique and natural genuine-wood appearance, Swiss-Plank Natural will delight you every day. The innovative laminate floor attracts with its unique elegance, thanks to the stylishly slim panels. The refined, delicate joints round off the overall impression of a select flooring.

25 YEARS RESIDENTIAL WARRANTY



Swiss-Plank *Natural*

D 1433 WG
Montreal Maple



Standard: 



D 2332 WG
Siberian Ash



Standard: 



D 2413 WG
Wild Lined Oak



Standard: 



D 2833 WG
Camargue Oak



Standard: 



D 2261 WG
Nova Birch



Standard: 



D 2772 WG
Nordic Maple



Standard: 



D 2708 WG
Butternut



Standard: 



D 2462 WG
Barrique Oak



Standard: 



D 2431

D 2300 WG
American Walnut



Standard: 



D 2357 WG
Old Rustic Cherry



Standard: 



D 2412 WG
Wenge Madagascar



Standard: 



Swiss-Plank *Natural*

D 2838 WG
Canyon Historic Cherry



Standard: 

D 2431 WG
Cavallo Oak



Standard: 

D 2469 WG
Canyon Red Oak



Standard: 

D 2832 WG
Asco Walnut



Standard: 

D 2439 WG
Chocolate



Standard: 

D 2280 WG
Doussi



Standard: 

D 854 PR
Wenge



Standard: 





Swiss-Plank *Elite*

24



...only first-class

25

The expressive Swiss-Plank Elite presents itself exquisitely as an example of timeless finesse. The exclusive panel width of 159 mm provides an artistic flair and a strong character. The flooring is made with emphasis on the joints – a noble partner to feel good about.

25 YEARS RESIDENTIAL WARRANTY 
AC 4/KI. 32

Swiss-Plank *Elite*

D 2431 WG
Cavallo Oak



Standard: 



D 2247 WG
Ikarus Oak



Standard: 



D 2218 WG
Troy



Standard: 



D 1245 WG
Luca Walnut



Standard: 



D 8481 RU
Hickory Huntsville



Standard: 



D 2280 WG
Doussi



Standard: 



D 2439 WG
Chocolate



Standard: 



D 2791 WG
Astoria Plum



Standard: 



D 2791

D 854 PR
Wenge



Standard: 





Swiss-Noblesse



...variety and creativity

Exotic, classic, sober, sensual, delicate... Swiss-Noblesse certainly has something for everyone. The unique variety and creativity of the product range allows virtually unlimited applications for this flooring, and fills rooms with your individual personality.

20 YEARS RESIDENTIAL WARRANTY  AC 4/KI. 32

Swiss-Noblesse

D 2307 WG
Boathouse Pine



Optional:



D 701 WG
Diamant Oak



Optional:



D 2332 WG
Siberian Ash



Optional:



D 2836 WG
Elegance Oak



Optional:



D 2413 WG
Wild Limed Oak



Optional:



D 467 WG
Amarone Oak



Optional:



D 2833 WG
Camargue Oak



Optional:



D 1220 WG
Beech 2-Strip



Optional:



D 1496

D 2246 WG
Original Oak



Optional:



D 2625 WG
Variations Oak



Optional:



D 1497 WG
Wiking



Optional:



Swiss-Noblesse

D 2834 WG
Woodham Oak



D 1216 WG
Jurassic Oak



D 2820 WG
Magic Pine



D 742 WG
Sutter Oak



D 2708 WG
Butternut



D 2302 WG
Sorel Maple



D 1245 WG
Lucca Walnut



D 1231 WG
Country Birch



D 1321

D 1321 WG
Cherry 2-Strip



D 1365 WG
Wild Cherry




D 1496 WG
Sacramento Pine



Swiss-Noblesse

D 2539 WG
Elegance Light Oak




Optional: 



D 2535 WG
Swiss Beech



Optional: 



D 2538 WG
Antique Spruce



Optional: 



D 1215 WG
Legacy Oak



Optional:  



D 2362 WG
Matogrosso Jatoba




Optional: 



D 2837 WG
Accent Oak



Optional: 



D 2266 WG
Noce Montepulciano





Optional: 



D 2300 WG
American Walnut



Optional:  



D 1497

D 2532 WG
President Walnut



Optional: 



D 2564 WG
Willow Hamburg





Optional: 



D 1238 WG
Teak





Optional:  



D 2284 WG
Zebrano





Optional:  



D 2484 WG
Merbau Santa Fe



Optional:  



D 2280 WG
Doussi



Optional:  



D 2563 WG
Oak Arezzo



Optional: 



D 2565 WG
Oak Provence



Optional: 



D 2281 WG
Original Merbau



Optional: 



D 2420 WG
Wenge Tropical



Optional: 






Swiss-Scrape



...handscraped-look

Unique – and unrivalled on the market! With its revolutionary surface with hand-scraped look, Swiss-Scrape has an unmistakable, bold character. The exclusive panel width of 159 mm compliments the excellent appearance. A lively and intensive flooring for true connoisseurs.

18 YEARS RESIDENTIAL WARRANTY



Swiss-Scrape

D 2747 HS
Chelsea Oak



Standard: 



D 2218 HS
Troy



Standard:  Also available in 12 mm



D 406 HS
Wild Pecan



Standard:  Also available in 12 mm



D 2562 HS
Noce Rubio



Standard: 



D 2301 HS
Wild Mahogany



Standard:  Also available in 12 mm



D 2357 HS
Old Rustic Cherry



Standard:  Also available in 12 mm



D 854 HS
Wenge



Standard: 





Mega

42



D 2815



...big is beautiful

43

Dynamic and diverse: The authentic tile look opens up many creative living ideas and fascinates with its realistic stone surface. A perfect and harmonious appearance for the entire home.

20 YEARS RESIDENTIAL WARRANTY AC4/KI.32

1302 mm 326 mm 8 mm OFFICE HOTEL SHOP

D 1277 TI
Venezia




D 2815 ER
Zaragoza



D 2826 ER
Canberra



D 975 TI
Slate



D 2828 TI
Stratos



◀ ▶ 644 mm ⬆ ⬇ ⬆ 310 mm ⬆ 8 mm





Swiss-Prestige



...the easy way

Sensible and practical: Swiss-Prestige is especially suitable as entry-level product – for the children’s room, for example – and is convincing in terms of price and performance. Rest assured that this simple and laid-back floor covering can stand up to almost anything children can throw at it.

15 YEARS RESIDENTIAL WARRANTY  AC3/KI.31

Swiss-Prestige

D 2745 PR
Blanco Oak



D 633 PR
Grey Alder



D 632 PR
Green Alder



D 635 PR
Blue Alder



D 654 PR
Maple



D 2835 PR
Cariton Oak



D 1404 PR
Louisiana Beech



D 1416 PR
Calvados Oak



D 1289

D 1491 PR
Country Oak



D 2202 PR
Havanna Beech



D 1363 PR
Safari Cherry



Swiss-Prestige

D 2887 PR
Ambra



D 725 PR
Country Walnut



D 2709 WG
Fiona Oak Light



D 2304 WG
Bordeaux Oak



D 479 PR
Rustico Oak



D 1289 PR
Brasilia Cherry



D 1460 PR
Merbau



D 2319 WG
Wenge Select



D 479

D 2530 WG
Acacia Select



D 2959 WG
Alzey



D 2982 WG
Oak Nashville



D 2820	Swiss-Noblesse	D 2439	Swiss-Plank Natural Swiss-Plank Elite	D 1496	Swiss-Noblesse	D 406	Swiss-Scrape
D 2832	Swiss-Plank Natural	D 2443	Giant	D 1497	Swiss-Noblesse	D 467	Swiss-Solid Swiss-Noblesse
D 2833	Swiss-Plank Natural Swiss-Noblesse	D 2462	Giant Swiss-Plank Natural	D 2202	Swiss-Prestige	D 479	Swiss-Prestige
D 2834	Swiss-Noblesse	D 2469	Swiss-Plank Natural	D 2218	Swiss-Plank Elite Swiss-Scrape	D 632	Swiss-Prestige
D 2835	Swiss-Prestige	D 2484	Swiss-Noblesse	D 2235	Giant	D 633	Swiss-Prestige
D 2836	Swiss-Noblesse	D 2527	Swiss-Solid Pro	D 2246	Swiss-Noblesse	D 635	Swiss-Prestige
D 2837	Swiss-Noblesse	D 2530	Swiss-Prestige	D 2247	Swiss-Plank Elite	D 654	Swiss-Prestige
D 2838	Swiss-Plank Natural	D 2532	Swiss-Noblesse	D 2261	Swiss-Plank Natural	D 701	Swiss-Noblesse
D 2887	Swiss-Prestige	D 2535	Swiss-Noblesse	D 2266	Swiss-Noblesse	D 725	Swiss-Prestige
D 2933	Giant	D 2538	Swiss-Noblesse	D 2280	Swiss-Plank Natural Swiss-Plank Elite Swiss-Noblesse	D 742	Swiss-Noblesse
D 2959	Swiss-Prestige	D 2539	Swiss-Noblesse	D 2281	Swiss-Noblesse	D 854	Swiss-Plank Natural Swiss-Plank Elite Swiss-Scrape
D 2938	Giant	D 2547	Swiss-Solid	D 2284	Swiss-Noblesse	D 869	Swiss-Solid
D 2982	Swiss-Prestige	D 2560	Swiss-Solid Pro	D 2300	Swiss-Plank Natural Swiss-Noblesse	D 1215	Swiss-Noblesse
D 8481	Swiss-Solid Pro Swiss-Plank Elite	D 2561	Swiss-Solid Pro	D 2301	Swiss-Scrape	D 1216	Swiss-Noblesse

Overview







D 975	Mega	D 2562	Swiss-Solid Pro Swiss-Scrape	D 2302	Swiss-Noblesse	D 1220	Swiss-Noblesse
D 1277	Mega	D 2563	Swiss-Solid Swiss-Noblesse	D 2304	Swiss-Prestige	D 1231	Swiss-Noblesse
D 2815	Mega	D 2564	Swiss-Noblesse	D 2307	Swiss-Solid Swiss-Noblesse	D 1238	Swiss-Noblesse
D 2826	Mega	D 2565	Swiss-Solid Swiss-Noblesse	D 2316	Giant	D 1245	Swiss-Plank Elite Swiss-Noblesse
D 2828	Mega	D 2570	Swiss-Solid Pro	D 2318	Giant	D 1289	Swiss-Prestige
		D 2625	Swiss-Noblesse	D 2319	Swiss-Prestige	D 1321	Swiss-Solid Swiss-Noblesse
		D 2708	Swiss-Noblesse	D 2332	Swiss-Plank Natural Swiss-Noblesse	D 1363	Swiss-Prestige
		D 2709	Swiss-Prestige	D 2347	Swiss-Solid Pro	D 1365	Swiss-Noblesse
		D 2745	Swiss-Prestige	D 2357	Swiss-Plank Natural Swiss-Scrape	D 1400	Swiss-Solid
		D 2747	Swiss-Scrape	D 2362	Swiss-Noblesse	D 1404	Swiss-Prestige
		D 2748	Swiss-Solid	D 2412	Giant Swiss-Plank Natural	D 1416	Swiss-Prestige
		D 2772	Swiss-Plank Natural	D 2413	Swiss-Solid Giant Swiss-Plank Natural Swiss-Noblesse	D 1433	Swiss-Plank Natural
		D 2773	Giant	D 2420	Swiss-Noblesse	D 1460	Swiss-Prestige
		D 2791	Swiss-Plank Elite	D 2431	Swiss-Plank Natural Swiss-Plank Elite	D 1491	Swiss-Prestige

Overview



Technical Data

Utilisation Categories

	little utilisation	medium utilisation	intensive utilisation
living	 AC 1 / Kl. 21 bed-, guestrooms	 AC 2 / Kl. 22 living-, diningrooms	 AC 3 / Kl. 23 kitchen, entrance halls
commercial	 AC 3 / Kl. 31 hotel rooms, small offices	 AC 4 / Kl. 32 offices, boutiques	 AC 5 / Kl. 33 stores, corridors

Technical Specification

Test Standard	Test Institute	Characteristic Test	Properties
EN 13329	WKI	Impact resistance impact stress	Impact stress class IC 1/2/3
DIN EN 120	WKI	External monitoring of formaldehyde release	E1 HDF
EN 13329	WKI	Resistance to staining	Group 1-3: grad 5
EN 13329	WKI	Light fastness	Blue wool scale: not worse than 6 Gray scale: not worse than 4
EN 13329	WKI	Resistance to cigarette burns	Grad 4
EN 9239-1 EN 11925-2	MPA	Behaviour in fire	Low flammability, building material class Cfl-s1
EN 13329	WKI	Effect of a furniture leg	No visible damage, as per EN 424
EN 13329	WKI	Effect of a castor chair	No visible changes or damage, as defined in EN 425
EN 13329	—	Height difference between elements	Average: ≤0,10 m Max: ≤0,15 mm
DIN 52612	eph	Heat conductivity	$\lambda_{10, tr} = 0.17 \text{ w/m}\cdot\text{k}$, Suitable for underfloor heating (medium: water)
		Disposal	Laminated flooring is suitable for landfill sites, incineration and recycling

Kronoswiss Limited Residential Warranty

Kronoswiss offers some of the best consumer warranties in the industry. For the complete warranty details and terms please visit www.kronoswiss.com



Packaging Specifications

Swiss-Solid Pro HDF AC 5/KL. 33



5 panels à 1380 x 193 x 12 mm = 1,332 m²/16 kg
 5 panels à 54.33 x 7.6 x 1/2" = 14.33 sqft/35.27 pounds
 56 boxes = 74,575 m²/896 kg
 56 boxes = 802.72 sqft/1975.34 pounds

Swiss-Solid HDF AC 5/KL. 33



5 panels à 1380 x 193 x 12 mm = 1,332 m²/16 kg
 5 panels à 54.33 x 7.6 x 1/2" = 14.33 sqft/35.27 pounds
 56 boxes = 74,575 m²/896 kg
 56 boxes = 802.72 sqft/1975.34 pounds

Giant HDF AC 5/KL. 33



4 panels à 1845 x 188 x 12 mm = 1,387 m²/15,5 kg
 4 panels à 72.64 x 7.4 x 1/2" = 14.93 sqft/34.17 pounds
 56 boxes = 77,697 m²/868 kg
 56 boxes = 836.32 sqft/1913.61 pounds

Swiss-Plank Natural HDF AC 4/KL. 32



7 panels à 1380 x 116 x 10 mm = 1,121 m²/10 kg
 7 panels à 54.33 x 4.57 x 1/2" = 12.06 sqft/22.05 pounds
 72 boxes = 80,68 m²/720 kg
 72 boxes = 868.44 sqft/1587.33 pounds

Swiss-Plank Elite HDF AC 4/KL. 32



7 panels à 1380 x 159 x 10 mm = 1,536 m²/14 kg
 7 panels à 54.33 x 6.26 x 1/2" = 16.53 sqft/30.86 pounds
 60 boxes = 92,156 m²/840 kg
 60 boxes = 991.97 sqft/1851.88 pounds

Swiss-Noblesse HDF AC 4/KL. 32



8 panels à 1380 x 193 x 8 mm = 2,131 m²/15 kg
 8 panels à 54.33 x 7.6 x 5/16" = 22.94 sqft/33.07 pounds
 56 boxes = 119,32 m²/840 kg
 56 boxes = 1284.35 sqft/1851.88 pounds

Swiss-Scrape HDF AC 3/KL. 31



9 panels à 1380 x 159 x 8 mm = 1,975 m²/14 kg
 9 panels à 54.33 x 6.26 x 5/16" = 21.26 sqft/30.86 pounds
 60 boxes = 118,487 m²/840 kg
 60 boxes = 1275.38 sqft/1851.88 pounds

Mega HDF AC 4/KL. 32



5 panels à 1302 x 326 x 8 mm = 2,122 m²/15 kg
 5 panels à 51.26 x 12.83 x 5/16" = 22.84 sqft/33.07 pounds
 45 boxes = 95,502 m²/675 kg
 45 boxes = 1027.97 sqft/1488.12 pounds

Swiss-Prestige HDF AC 3/KL. 31



9 panels à 1380 x 193 x 7 mm = 2,397 m²/15 kg
 9 panels à 54.33 x 7.6 x 9/32" = 25.8 sqft/33.07 pounds
 56 boxes = 134,235 m²/840 kg
 56 boxes = 1444.9 sqft/1851.88 pounds



Swiss Quality

Certificate of the Swiss Private Sector Energy Agency
Voluntary Climate Protection

Kronospan Schweiz AG

Kronospan Schweiz AG hereby undertakes to work toward the sustained protection of the climate through conviction. With its voluntary declaration of joining the programme of the Swiss Private Sector Energy Agency, Kronospan Schweiz AG commits itself to the active reduction of CO₂ emissions and to the optimization of energy efficiency. The corresponding target agreement has been audited by the Swiss Federal government.

[Signature]
Swiss Private Sector Energy Agency
Dr. Christoph Muggli
January 1, 2008

Energie-Agentur
DER WIRTSCHAFT ENAW

Certification of Origin of Swiss Wood

The «Certification of Origin of Swiss Wood» guarantees the Swiss origin of the wood used. It communicates the values positively connected with Switzerland towards its forests, their characteristics and processing methods. It also makes a firm statement about the important environmental issues and the general high standard of conditions surrounding the sustainability and use of Swiss Wood. All wood, which grows in Swiss forests and is processed in Switzerland or in the principality of Liechtenstein, is eligible to use the Swiss Origin logo. Although at least 70% of the wood must come from Switzerland, for products that require mixed sources of wood, it is possible for some of the wood (max 30%) to come from sources outside of Switzerland. However this is only permissible if the wood comes from comparable forestry/production regions, and is equipped with a fully traceable, controlled certification of origin. The utilization of the logo is available to all companies in the wood industry and associated business. However, a prerequisite to using this logo, is a fully documented system of inspection, and complete traceability through all process of the business. For more information please go to

www.lignum.ch




...at the heart of nature

Kronoswiss is here for you: In order to constantly produce our first class products, we will only use materials sourced from carefully selected environmental and replenishable sources. In obtaining our CO₂ reduced certification and in keeping with our companies philosophy Kronoswiss products have achieved the lowest possible CO₂ values. Our commitment to the environment knows no bounds, and this is demonstrated through Kronoswiss being one of the first chipboard manufactures to obtain FSC status in 1997. Our environmental core beliefs and commitments now and in the future, differentiate us from our competitors. Swiss Quality demands an ongoing review and updating of all the tests and controls (ISO9001, ISO14001), so that we can confidently achieve our commitment to our customers and the environment.



swissSilence

the ultimate sound filter for laminate flooring



- 30%
Noise reduction

Looking for a more peaceful life? This is now possible due the newest optimisation of room acoustics. With the sound absorption created by the hi-tech polymer-microspheres coating, you can have a 30% noise reduction – as confirmed by EPH Institute Dresden, Germany. Calmness, peace and quiet in one simple step. It's all there in the floor you have been looking for.

Available as an optional extra in Swiss-Solid Pro, Swiss-Solid and Swiss-Noblesse



Polymer-microspheres coating 0.5 mm for 30% noise reduction

kronoswiss®

Kronospan Schweiz AG

Willisauerstrasse 37 · CH-6122 Menznau · Tel. +41 41 494 95 60 · Fax 41 41 494 95 69 · flooring@kronospan.ch · www.kronospan.ch